Wanganui Pistol Club Inc P O Box 952 Wanganui, 4501

Email: wanganuipistolclub@hotmail.com





RANGE STANDING ORDERS

1. Wanganui Pistol Club Inc.

2. Range Name: Airport Road Range.
3. Dated: 1st February 2023

Range Standing Orders are written to ensure all <u>Club Members and Range Users are aware</u> of the conditions that apply to these ranges.

Safety MUST be your prime consideration when using the Wanganui Pistol Club Inc, Club Ranges.

All persons not involved in the match being shot are to remain at least **1m** behind the shooting line or starting position and must remain quiet so as not to interfere with the giving of instructions by any Range Officers

4. INTRODUCTION:

- The Wanganui Pistol Club Inc. is sited at 1 5 Airport Road, Wanganui
- The Wanganui Pistol Club Inc. committee is the Shooting Range Operator of these ranges.
- Land owner is the Wanganui Pistol Club Inc.
- The legal description of the land area range is: Pt Lot 1 DP 315332 & Lot 3 DP 315332.
- All Ranges are certified as "NO DANGER AREA" Ranges.
- These orders are applicable to <u>ALL PERSONS</u> who enter the property operated by the Wanganui Pistol Club Inc.
- These orders are to be promulgated to all Wanganui Pistol Club members and all other user organisations. A Copy of these orders are to be permanently displayed on the club notice board.
- Hours of operation are 7 Days per week 24 hours per day.
- RANGE REGISTER; All users of the range complex must sign the Members Range Register or the Visitors Register. The signing of the range register acknowledges that the user has read, understood and accepted the Range Standing Orders and the specific Pistol Discipline rules posted on each range.
- The Range Registers are located in the Clubrooms.
- Access and use of these ranges is for Wanganui Pistol Club Inc. Members, Associate Members, authorised Range User Organisations and visitors under direct control of a Range Officer.
- All users are to read these standing orders.
- All non-Firearms pistol licence holders MUST be supervised by a "B" Firearms licence holder.
- Firearms may only be handled at this range complex under the following circumstances.

 [a] In the designated and approved Safety Zone or CAS loading & unloading tables.
 - [b] On the range under the supervision of a Range Officer or other approved match official.

5. Responsibility.

■ The Shooting Range Operator is the Wanganui Pistol Club Inc. Club Committee.

The Wanganui Pistol Club Inc. management is responsible for the administration, allocation,

And ongoing maintenance of all ranges, and are also responsible for ensuring that all members are familiar with **and abide by these** RSOs.

6. Compliance with Range Standing Orders (RSOs).

- All users of the range are subject to these RSOs.
- User organisations permitted use of these facilities will have their approval withdrawn if they do not adhere to these RSOs

7. Location:

The range complex is located at Topo 50 Map No BL 32.

- NZTM Reference: E1773965 N5574670 Club rooms.
- Address: 1 5 Airport Road Wanganui, 4501

8. Approved Range Users and Priority of Use.

- The following is the order of priority for the use of the Wanganui Pistol Club ranges and no other individual may use the range unless they are fully authorised members of one of the associations listed below.
 - a. Wanganui Pistol Club Inc.
 - b. Members of Pistol NZ.
 - c. Other users as approved by Wanganui Pistol Club Inc.
- **Note**: The range is not to be allocated for use by non-members or non-affiliated associations Without the written authority of the Management Committee of Wanganui Pistol Club Inc.

9. Warning Flags-Danger Signs.

- Minimum flag size is 1200mm x 600mm
- Range Danger Flags and warning signs are to be enabled at the following locations prior to commencement of any firing.
- a. The Range status sign's "Danger Range in Use" warning shall be displayed at the entrance gate on the access road when the ranges are open for use.
- b. Red warning "Range in Use" flags shall be flown when the range is open for use at:
 - 1) Main Flag Pole on Range 5
 - 2) Main Flag Pole on Range 14 when ranges 14 to 18 are in use.
 - 3) A red flashing light is to be raised on the flagpole and another at the entrance gate when shooting is taking place in low light conditions or darkness..
- The warning **flags** must be lowered, and the range status sign closed when the range is closed.
- All access gates must be locked when the shooting complex is closed.

10. Description of individual ranges and Conditions of use:

The complex has Eighteen (18) individual ranges.

- > Range 1. 50 metre Outdoor No Danger Area Range, practical / action range.
- > Range 2. 50 metre Outdoor No Danger Area Range. practical / action range.
- > Range 3. 25 metre Outdoor No Danger Area Range, practical / action range.
- > Range 4. 25 metre Outdoor No Danger Area Range. practical / action range.
- > Range 5. 35 metre Outdoor No Danger Area Range. practical / action range.
- > Range 6. 40 metre Outdoor No Danger Area Range. practical / action range.
- Range 7.
 Range 8.
 15 metre Outdoor No Danger Area Range. practical / action range.
 20 metre Outdoor No Danger Area Range. practical / action range.
- > Range 9. 15 metre Outdoor No Danger Area Range. practical / action range.
- Range 10. 20 metre Outdoor No Danger Area Range, practical / action range.
- > Range 11. 20 metre Outdoor No Danger Area Range. practical / action range.
- > Range 12. 20 metre -Outdoor No Danger Area Range. practical / action range.
- > Range 13. 20 metre Outdoor No Danger Area Range. [practical / action range
- > Range 14 100 metre Outdoor No Danger Area Range. practical / action range.
- > Range 15 18 metre Outdoor No Danger Area Range. practical / action range.
- > Range 16 15 metre Outdoor No Danger Area Range. practical / action range.
- > Range 17 12 metre Outdoor No Danger Area Range. practical / action range.
- > Range 18 12 metre Outdoor No Danger Area Range. practical / action range.

Wanganui Pistol Club Inc - 1st February 2023

On Ranges with earth side backstops, live fire may be directed into either the left or right-side backstops out to a maximum of 10 metres. The backstop must be at a minimum height of 2.5 metres. Target placement must be carefully considered with maximum target centre height of 1.5 metres.

- □ The ranges are restricted to the firing of the following firearms:
- Range one
- [a] Pistols up to and including .45 calibre
- [b] Rifles up to and including .223 / 5.56mm calibre
- [c] Lever action rifles (pistol calibre only) up to and including .45 calibre
- [d] Black Powder (muzzle loading) pistols up to and including .58 calibre

Conditions of Use:

If shooting is taking place from the 25-metre line forward, range 2 can only be used from the 25-metre line.

Targets; All approved Pistol NZ targets may be used.

Standard height for soft targets is 1.5 metres centres off the floor of the range.

All targets should be placed close to the bullet catcher, or moveable catchers are to be used.

- > Range Two
- [a] Pistols up to and including .45 Calibre
- [b] Rifles up to and including .223 / 5.56mm calibre
- [c] Lever action rifles (pistol calibre only) up to and including .45 calibre
- [d] Black Powder (muzzle loading) pistols up to and including .58 calibre

Conditions of Use:

If shooting is taking place from the 25-metre line forward, range 1 can only be used from the 25-metre line.

Targets; All approved Pistol NZ targets may be used.

Standard height for soft targets is 1.5 metres centres off the floor of the range.

All targets should be placed close to the bullet catcher, or moveable catchers are to be used.

- > Range Three
- [a] Pistols up to and including .45 calibre
- [b] Rifles .22LR calibre only
- [c] Lever action rifles (pistol calibre only) up to and including .45 calibre

Conditions of Use:

Targets; All approved Pistol NZ targets may be used.

Standard height for soft targets is 1.5 metres centres off the floor of the range.

All targets should be placed close to the bullet catcher, or moveable catchers are to be used.

- > Range Four
- [a] Pistols up to and including .45 calibre
- [b] Rifles .22LR calibre only
- [c] Lever action rifles (pistol calibre only) up to and including .45 calibre.

Conditions of Use:

Targets; All approved Pistol NZ targets may be used.

Standard height for soft targets is 1.5 metres centres off the floor of the range.

All targets should be placed close to the bullet catcher, or moveable catchers are to be used.

- Range Five
- [a] Pistols up to and including .45 calibre
- [b] Rifles .22LR calibre only
- [c] Lever action rifles (pistol calibre only) up to and including .45 calibre

Conditions of Use:

Targets; All approved Pistol NZ targets may be used.

Standard height for soft targets is 1.5 metres centres off the floor of the range.

All targets should be placed close to the bullet catcher, or moveable catchers are to be used.

- Range six
- [a] Pistols up to and including .45 calibre
- [b] Lever action rifles (pistol calibre only) up to and including .45 calibre
- [c] Rifles .22LR calibre only
- [d] Shotguns up to and including 12 gauge
- [e] Black Powder (muzzle loading) pistols up to and including .58 calibre

Conditions of Use:

Targets; All ap

All approved Pistol NZ targets may be used.

Standard height for soft targets is 1.5 metres centres off the floor of the range.

All targets should be placed close to the bullet catcher, or moveable catchers are to be used.

- Range Seven
- [a] Pistols up to and including .45 calibre
- [b] Lever action rifles (pistol calibre only) up to and including .45 calibre
- [c] Rifles .22LR calibre only
- [d] Shotguns up to and including 12 gauge

Conditions of Use:

Targets;

All approved Pistol NZ targets may be used.

Standard height for soft targets is 1.5 metres centres off the floor of the range.

All targets should be placed close to the bullet catcher, or moveable catchers are to be used.

- Range Eight
- [a] Pistols up to and including .45 calibre
- [b] Rifles 22LR calibre only
- [c] Lever action rifles (pistol calibre only) up to and including .45 calibre
- [d] Shotguns up to and including 12 gauge

Conditions of Use:

Targets;

All approved Pistol NZ targets may be used.

Standard height for soft targets is 1.5 metres centres off the floor of the range.

All targets should be placed close to the bullet catcher, or moveable catchers are to be used.

- Range Nine
- [a] Pistols up to and including .45 calibre
- [b] Rifles .22LR calibre only
- [c] Lever action rifles (pistol calibre only) up to and including .45 calibre

Conditions of Use:

Targets;

All approved Pistol NZ targets may be used.

Standard height for soft targets is 1.5 metres centres off the floor of the range.

All targets should be placed close to the bullet catcher, or moveable catchers are to be used.

- Range Ten
- [a] Pistols up to and including .45 calibre
- [b] Rifles .22LR calibre only
- [c] Lever action rifles (pistol calibre only) up to and including .45 calibre
- [d] Black Powder (muzzle loading) pistols up to and including .58 calibre
- [e] Shotguns up to and including 12 gauge

Conditions of Use:

Targets;

All approved Pistol NZ targets may be used.

Standard height for soft targets is 1.5 metres centres off the floor of the range.

All targets should be placed close to the bullet catcher, or moveable catchers are to be used.

- > Range Eleven
- [a] Pistols up to and including .45 calibre
- [b] Rifles up to and including .223 / 5.56mm calibre
- [c] Lever action rifles (pistol calibre only) up to and including .45 calibre
- [d] Black Powder pistols up to and including .58 calibre
- [e] Shotguns up to and including 12 gauge

Conditions of Use:

Targets;

All approved Pistol NZ targets may be used.

Standard height for soft targets is 1.5 metres centres off the floor of the range.

All targets should be placed close to the bullet catcher, or moveable catchers are to be used.

- Range Twelve
- [a] Pistols up to and including .45 calibre
- [b] Rifles up to and including .223 / 5.56mm calibre
- [c] Lever action rifles (pistol calibre only) up to and including .45 calibre
- [d] Black Powder pistols up to and including .58 calibre
- [e] Shotguns up to and including 12 gauge

Conditions of Use:

Targets; All approved Pistol NZ targets may be used.

Standard height for soft targets is 1.5 metres centres off the floor of the range.

All targets should be placed close to the bullet catcher, or moveable catchers are to be used.

- ➤ Range Thirteen [a] Pistols up to and including .45 calibre
 - [b] Rifles up to and including .223 / 5.56mm calibre
 - [c] Lever action rifles (pistol calibre only) up to and including .45 calibre
 - [d] Black Powder pistols up to and including .58 calibre
 - [e] Shotguns up to and including 12 gauge

Conditions of Use:

Targets;

All approved Pistol NZ targets may be used.

Standard height for soft targets is 1.5 metres centres off the floor of the range.

All targets should be placed close to the bullet catcher, or moveable catchers are to be used.

- ➤ Range Fourteen [a] Pistols up to and including .45 calibre
 - [b] Rifles up to and including .8mm.
 - [c] Lever action rifles (pistol calibre only) up to and including .45 calibre
 - [d] Black Powder pistols up to and including .58 calibre
 - [e] Black Powder (muzzle loading) rifles up to and including .58 calibre
 - [f] Shotguns up to and including 12 gauge

Conditions of Use:

Pistol shooting on Range Fourteen may only take place from the 50-metre line forward.

Targets; All approved Pistol NZ targets may be used.

Standard height for soft targets is 1.5 metres centres off the floor of the range.

All targets should be placed close to the bullet catcher, or moveable catchers are to be used.

- ➤ Range Fifteen [a] Pistols up to and including .45 calibre
 - [b] Rifles .22LR calibre only
 - [c] Lever action rifles (pistol calibre only) up to and including .45 calibre

Conditions of Use:

Targets;

All approved Pistol NZ targets may be used.

Standard height for soft targets is 1.5 metres centres off the floor of the range.

All targets should be placed close to the bullet catcher, or moveable catchers are to be used.

- Range Sixteen [a] Pistols up to and including .45 calibre
 - [b] Rifles .22LR calibre only
 - [c] Lever action rifles (pistol calibre only) up to and including .45 calibre

Conditions of Use:

Targets;

All approved Pistol NZ targets may be used.

Standard height for soft targets is 1.5 metres centres off the floor of the range.

All targets should be placed close to the bullet catcher, or moveable catchers are to be used.

- ➤ Range Seventeen [a] Pistols up to and including .45 calibre
 - [b] Rifles .22LR calibre only
 - [c] Lever action rifles (pistol calibre only) up to and including .45 calibre

Conditions of Use:

Targets;

All approved Pistol NZ targets may be used.

Standard height for soft targets is 1.5 metres centres off the floor of the range.

All targets should be placed close to the bullet catcher, or moveable catchers are to be used.

- Range Eighteen [a] Pistols up to and including .45 calibre
 - [b] Rifles .22LR calibre only
 - [c] Lever action rifles (pistol calibre only) up to and including .45 calibre

Conditions of Use:

Targets;

All approved Pistol NZ targets may be used.

Standard height for soft targets is 1.5 metres centres off the floor of the range.

All targets should be placed close to the bullet catcher, or moveable catchers are to be used.

11. Range safety roles.

- The following person will be required at any live shoot:
- Qualified Officer on Duty/Range Officer
- Any other Safety Officer as may be necessary or required by match rules.

12. Range safety rules.

- 1. Safety of the range is the responsibility of all range users.
- 2. The Range Officer is responsible for ensuring that the range is safe for use prior to the commencement of any shooting activity
- 3. That the bullet catcher is in good repair.
- 4. That only approved or authorised targets are used on the range.
- 5. Ammunition restrictions are adhered to.
- 6. That there is no person(s) or activity in the danger area.
- 7. That hearing & eye protection is used by all range users and spectators.
- The safety rules for individual shooting disciplines are to be complied with in conjunction
 with these RSO. Where individual safety rules may contradict these RSO, the RSO are to
 take precedence. Club executives are to seek a satisfactory and safe resolution to
 eliminate this situation and where necessary amend RSO.

THE FOLLOWING SAFETY RULES ARE EMPHASISED.

- When a Range is in use it shall at all times be under the control of a Range officer, whose authority is absolute and all persons on the Range shall act under his or her direction.
- The Range Officer shall be responsible for the observance of these rules and for the reporting of any breach to the Club Committee without delay.
- Firearms are not to be handled unless under the control of a Range Officer or in an approved and designated Safety Zone.
- No pistol shooting shall take place on the range except under the control of a range Officer holding the appropriate Range Officer qualification.
- Loaded firearms must be pointed down-range at all times.
- Do not leave firearms unattended at any time.
- Firearms that are not your own are not to be touched without owner's consent.
- Firearms are not to be loaded unless under the direct control of a Range Officer.
- Firearms are not to be handled while people are forward of the firing line.
- Pistols are not to be placed loaded in a holster unless the shooter is holster qualified and then only under the direction of a qualified Range Officer.
- No firearm may be removed from the firing point until it has been checked and verified by the Range Officer as being clear.
- When using handguns all new members or members without a "B" endorsement on their firearms licence must be under the direct (one on one) supervision of a member with a "B" endorsement on their firearms licence.
- Pistols must be cased or holstered with rifles and Shotguns covered or with a chamber flag inserted, at all times when moving about the range, unless under the control of a Range Officer except as part of an action match.
- Where a Safety zone has been declared, firearms may be cleaned, repaired or tested by cycling or dry firing ONLY in this zone. Ammunition or anything resembling ammunition including dummy or drill rounds is NOT PERMITTED TO BE HANDLED in any Safety zone UNDER ANY CIRCUMSTANCES.

13. Approved ammunition.

- [a] Only the ammunition calibres listed in paragraph10 are approved for use on these ranges. No other ammunition is permitted for use.
- [b] If a new ammunition calibre is proposed for use on the range, it must be approved by the SRO before inclusion in RSOs. Police must be notified of any proposed amendment to RSOs for review of the current conditions of certification and approval

PROHIBITED AMMUNITION

- The following ammunition must <u>NOT</u> be used on any range administered by the Wanganui Pistol Club Inc.
 - [a] Tracer Ammunition.
 - [b] Incendiary Ammunition.
 - [c] Armour Piercing Ammunition.
 - [d] Explosive ammunition (all types).
 - [e] Air pistols pellets containing steel / copper / tungsten inserts.
 - [f] Steel shot on steel targets.
 - [g] Shotgun Solids/slugs on steel targets.
 - [h] Any ammunition using a sabot.

14. TARGETS / NEW TARGET SYSTEMS

- a. Targets are not to be placed above the line of sight from the standing position on the designated firing point nor should they be placed to cause divergent ricochets. It is the responsibility of the Range Officer to ensure safe target placement.
- b. All targets must be placed within the actual range that they are being engaged from and must not be placed outside the actual range complex.
- c. All firing is to be directed towards the backstop. Only designated side backstops forward of the firing line may be used as backstops.
- d. Clay targets may be used in stands. (Not to be used as aerial targets).
- e. Only targets approved by the Club committee, Pistol NZ and NZ Police are permitted to be used on club ranges.
- f. The Range Officer officiating ensures that the target system is set so that no projectiles can escape the approved range template or the approved cone of fire for the target or targets.

15. Steel Plate Targets

- ONLY Approved steel plate targets may be used on the Wanganui Pistol Club Ranges.
 The minimum grade is Bisloy grade 450 or higher. (Refer to PNZ Steel Target Safe Use Guide).
- All steel targets to be approved by the Officer on Duty/Range Officer Prior to use.
- All non-reactive steel plate targets to be set at a forward sloping angle of 15 Deg from the vertical to reduce the possibility of ricochets.
- Shrouds may need to be used where steel targets are placed more than 1 metre from the backstop/bullet catcher.

16. Moving Targets

• For moving targets at ranges of 25 metres or closer, left and right arcs are to be indicated by brightly painted posts. Firing outside of these arcs is strictly prohibited.

17. Minimum safe engagement distances

 The MINIMUM distance permitted for engaging a steel target is as list in competition rules and the PNZ Steel target safe use guide:

7 metres IPSC Handgun.

7 metres IPSC Pistol Carbine/IPSC Mini Rifle.

50 metres IPSC Rifle.

8 metres IPSC Shotgun (Birdshot & Buckshot)

50 metres IPSC Shotgun (Lead solids slugs).

5 metres CAS Pistol.

7 metres CAS Shotgun.

13 metres CAS Rifle.

10 metres NRA pistol.

- Under no circumstances are shotguns using steel shot to be used on steel plate targets.
- Ground splashback distance for pistol. 5 metres.
- Ground splashback distance for high velocity rifle 15 metres.

18. Eye and Hearing Protection

• All members and visitors to the club are to wear eye and hearing protection at all times while shooting is taking place with the exception of within the clubhouse and carpark.

19. Medical

- First Aid facilities are located in the Club Rooms.
- Address to the nearest medical facility / Phone number.
- In a Medical Emergency Dial 111 and ask for Ambulance Assistance.
- Address: 1 Airport Road, Wanganui.
- Should this be necessary, ensure that a club member is at the road entrance to meet the Ambulance and direct them down to the site. Ensure that any cars parked blocking the entrance are moved.

20. Accident/incident procedure

- Accidents not involving a Firearm: The following procedure is to occur:
 - [a] Cease Firing
 - [b] Ensure the scene/situation is safe for all participants.
 - [c] Render immediate first aid and assess the need for evacuation of the casualty to the nearest medical facility or onsite recovery by emergency services.
 - [d] Notify the club President.
- · Accidents involving a firearm;
 - [a] Cease Firing.
 - [b] Ensure the scene/situation is safe for all participants.
 - [c] Render immediate first aid and assess the need for evacuation of the casualty to the nearest medical facility or onsite recovery by emergency services.
 - [d] Make no attempt to remove or strip the firearm
 - [e] Notify the Police.
 - [f] Advise the Club President or Secretary.
 - [g] Advise Executive Officer Pistol New Zealand.

NOTE: It is important that all users are aware of sect-20 Accident procedures and fully comply with this procedure in the case of any accident involving a firearm.

21. Fire Precautions and Procedures:

- A fire permit must be obtained from the local authority before any fire is contemplated.
- All precautions are to be taken to reduce the possibility of fire in buildings and the surrounding grounds.
- In the case of fire Dial 111 and ask for Fire Brigade Assistance.
- Address; 1 Airport Road, Wanganui.
- Should this be necessary, ensure that a club member is at the road entrance to meet the Fire engine and direct them to the site Ensure that any cars parked blocking the entrance are moved.

22. Range clearance

- All users are to ensure that all range rubbish, including used targets, ammunition boxes, fired cases and shotgun wads etc., are removed from the range and disposed of in an appropriate manner.
- All unwanted brass cases are to be placed into the bins provided.
- Rubbish is not to be left on the range as it may easily become a fire hazard.

23. Unauthorised access and/or use of the range

- Any Individual or organisation given use of the Range Complex will have been provided with written authority from the Club.
- Any individual or Organisation unable to provide this approval as proof of authority must be asked to leave the property immediately.
- Any refusal to leave should be reported to the Police as soon as possible.

24. Cone of Fire Pistol / Rifle:

CONE OF FIRE: Handgun and IPSC Shotgun: 1.3 degrees (Horizontal and Vertical)					
Distance (Metres)	Radius (Metres)	Diameter (Metres)			
15	0.34	0.68			
25	0.56	1.13			
50	1.13	2.26			
CONE OF FIRE: Rifle Under 8mm:56 degrees (Horizontal and Vertical)- STANDING					
Distance (Metres)	Radius (Metres	Diameter (Metres			
20	0.409	0.79			
25	0.45	0.99			
35	0.69	1.38			
50	0.98	1.96			
100	890mm	2.94			

25. Inability of the Shooter to Achieve the CofF.

- If for any reason any shots fired fall outside the Cone of Fire the following procedure is to occur.
- The Officer on Duty/Range Officer is to:
 - [a] Halt all firing and identify the shooter responsible.
 - [b] Observe that shooters next shot and if it falls within the Cone of Fire allow that shooter to continue shooting.

Wanganui Pistol Club Inc - 1st February 2023

- [c] If the observed shot does not fall within the Cone of Fire, the shooter is to be provided with a suitable coach with the intention of bringing the next round within the Cone of Fire.
- [d] Shooters who are unable to achieve the Cone of Fire are to be prevented from further firing. Shooters prevented from firing in this way may resume firing following the completion of a club approved training program with the firearm.

26. Unlicenced or Inexperienced Shooters

- Unlicenced/inexperienced shooters must be managed one to one by a member.
- They are to be shown the safety aspects of using a firearm initially with an unloaded firearm.
- The Officer on Duty/Range Officer is to determine the level of supervision required.

27. Test Firing

• If new firearms or new ammunition types require testing, approval to test fire must first be given by the committee of the Wanganui Pistol Club Inc.

28. Air danger height (ADH)

- The ranges within this complex are approved as **No Danger Area Ranges (NDA)**. As such there is no air danger area.
- All members and range users must be made aware that if an aircraft is seen to be approaching the club in a manner that may see them fly over the club property at a low level whilst live firing is in progress, the <u>Officer on Duty/Range Officer</u> must immediately call for a stop to all shooting until the aircraft clears the area.

29. Range maintenance plan

- The club is required to have a maintenance plan and schedule of work to be done.
- The Bullet catchers are to be kept above the minimum angle.
- All unused targets and props are to be taken off the range when not in use.
- Steel targets that are pitted are to be removed from the range.
- Any range structure that falls below the minimum standard must be repaired immediately or the range must be closed until repaired.

30. Children (minors)

• All children are to be under the direct supervision of an adult at all times.

31. Health and hygiene

- After shooting you should wash hands before eating or drinking.
- Sun protection should be used on hot summer days.
- Avoid dehydration.

32. **Domestic animals**

• Domestic animals only permitted on the range with the approval of the Officer on Duty/range officer and must remain on a leash at all times.

33. Additional headings

N/A

34. Amendment to RSOs

- Any proposed change to these RSO's must first be consulted with the Range
 Development Committee and NZ Police, if any change(s) are made, a copy of the
 amended authorised updated version of the Range Standing Orders must be supplied
 to NZ Police.
- If there is significant change in conditions outside of the original certification, Police may review and issue an Improvement Notice which may require a renewal of certification depending on the change.
- Orders once "reviewed and approved" by NZ Police, the updated RSO's shall be displayed on the Club Notice board and forwarded to all users named on the distribution list.

35. Authorisation Date of RSOs

 The Wanganui Pistol Club Inc. RSOs are authorised on the; Date: 28/10/2022

President

------Pistol Club Inc.Date:28/10/2022

36. Distribution list

- All Wanganui Pistol Club Inc. Members.
- Posted on the Wanganui Pistol Club Inc. Notice Board.
- Pistol New Zealand.
- New Zealand Police

Range Location & Layout



11

ANNEX A.

TEMPLATES TABLE OF EQUIVALENCIES

Template Group	Templates	Included Calibres		
8mm	T6	.308 Winchester	6.5x61 Mauser	
		.30-06 Springfield	7x57 Mauser	
		7mm-08 Remington	7x57R Mauser	
		6.5x55 Swedish Mauser	6.5x50 Arisaka	
		6.5x54 Mannlicher-	6.5x52 Mannlicher-	
		Schoenauer	Carcano	
		6.5x57 Mauser	6.5x53R Mannlicher	
		6.5x57R Mauser	.250 Savage	
		6.5x58R Sauer	.257 Roberts	
		6.5x58 Portuguese-	.307 Winchester	
		vergueiro	.507 Willestei	
			.303 British	
		6.5x58R Krag-Jorgensen		
		8mm Mauser (8x57 JS)	.350 Remington Magnum	
		.270 Winchester	.300 Savage	
		7.92 Mauser		
		.358 Winchester	.75 Calibre Muzzle Loader	
			(Cast Bullet)	
5.56mm	T5	233 Remington over 55g		
		up to 69g		
5.56mm	T4	223 Remington 55g	7.62x39 Russian	
0.00111111	1-7	.22 Hornet	30-30 Winchester	
		.220 Swift	.222 Remington	
			.25-20 WCF	
		.22-250 Remington		
		.223 Remington Magnum	.25-35 Winchester	
		.30 Remington	.256 Winchester Magnum	
		.303 Savage	.50-90 Sharps	
		.32 Winchester Special	.32-20 Winchester	
		.35 Remington	.44-40 Winchester	
		.38-55 Winchester	.444 Marlin	
		.38-40 Winchester	.44 ball	
		.30M1 Carbine	.375 Winchester	
		.348 Winchester	45-70 US Government	
			(Lead Bullet)	
		.351 Winchester	.458 Winchester	
		.356 Winchester	.30-40 Krag	
			50/70 (Lead Bullet)	
		.25 Remington	JULTO (Lead Bullet)	
		56 Spencer (Lead Bullet)		
.357 Magnum	Т3	.357 Magnum		

Wanganui Pistol Club Inc - 1st February 2023

9mm	T2	9mm Parabellum	.65 Calibre Muzzle Loader
Parabellum			(Cast Bullet)
		.44 magnum	38 Special
		.45 ACP	
		7.65 Parabellum	

Template Group	Templates	Included Calibres	
.22LR HV	T1	.22 Long Rifle HV	9mm Browning Short
		.22 Long Rifle Std Velocity	.25 ACP
		.22 long	.32 ACP
		.22 Short	
		.58 Calibre Muzzle Loader	
		Ball	
		.54 Calibre Muzzle Loader	
		Ball	
		.44 Calibre Muzzle Loader	
		Ball	
		.45 Calibre Muzzle Loader	
		Ball	
		.40 Calibre Muzzle Loader	
		Ball	
		.36 Calibre Muzzle Loader	
		Ball	
		.32 Calibre Muzzle Loader	
		Ball	